



Nylon Textile Sleeve



MAIN APPLICATIONS

Typical applications include hydraulic hose protection, hose bundling, cable and wire harness management in the heavy equipment and automotive industries. Fluid resistance-very good resistance to most oils, gas, alcohols.

Good abrasion resistant, explosion-proof and anti-aging.

Stop the oil splash when hydraulic hose broken. Protect personal safety.

MATERIAL

PA66-high tenacity multi-filament Nylon yarn.
Flame retardant.



Product Characters

Size/Inner Diameter	8mm-90mm
Colour	Black
Working temperature	-60°C to 125°C
Character	Good abrasion resistant, explosion-proof and anti-aging.

APPLICABLE SPECIFICATIONS

Abrasion resistance according to ISO6945

Burst test according to 140126-d-01 testing technical agreement



4. Standard Specification

Part No.	ID/mm	Flat ID/mm	Thickness/mm	Roll Length/m
ZWNYS-010	10	16	1.1	50
ZWNYS-016	16	26	1.1	
ZWNYS -020	20	34	1.1	
ZWNYS -025	25	42	1.1	
ZWNYS -030	30	50	1.1	
ZWNYS -035	35	57	1.1	
ZWNYS -040	40	65	1.1	
ZWNYS -045	45	73	1.1	
ZWNYS -050	50	81	1.1	
ZWNYS -055	55	89	1.1	
ZWNYS -060	60	97	1.1	
ZWNYS -065	65	104	1.1	
ZWNYS -070	70	112	1.1	
ZWNYS -075	75	119	1.1	
ZWNYS -080	80	126	1.1	
ZWNYS -085	85	134	1.1	
ZWNYS -090	90	140	1.1	

Remark: Printing can be OEM.